

Digital Pressure Test Kit



Kappler's automated Digital Pressure Test Kit improves the efficiency and accuracy of gas-tight garment tests for both ASTM and CE methods. Kappler's unique design features a digital readout for more accurate testing, while a large LCD touchscreen allows easy test criteria selection and data input. All fittings and hoses needed to connect a garment for testing are included in the kit – the user simply provides an air supply with a 1/4 inch MNPT fitting.

Press START and the test is performed automatically, allowing the user to handle other duties while the test is in process. For easy and accurate record-keeping, test data can be copied to the provided USB stick via the built-in USB port. Complete setup and operating instructions are included and also available at kappler.com. *Style AKMOC*.



Large, easy-to-read touchscreen for selecting test criteria and data input.



The built-in USB port allows easy connection to a data storage device.



Scan this QR code for a video of the test procedure and data formatting program.

WARNING: This information is based on technical data that Kappler believes to be reliable. It is subject to revision as additional knowledge and experience are gained. The website will contain Kappler's most up-to-date product information, and customers who receive pamphlets, brochures or other literature should be aware that such "hard copy" information may not be as current as the information on Kappler's website. Customers also should recognize that there are uses, environments and chemicals for which Kappler products, garments and/or fabrics are unsuitable. It is the responsibility of the user to review available data and verify that the product, garment and/or fabric is appropriate for the intended use and meets all specified government and/or industry standards. Also, the customer should review all available information on the website to understand the uses – and limitations – on ALL products, garments and fabrics which Kappler makes available. CAUTION: Do not use for fire protection. Avoid open flame or intense heat.

